-54-

S A Tydskrif vir Bedryfsingenieurswese, Vol 3, No 1, Junie 1989 pp 54-68

REXS : A financial risk

diagnostic expert system

W Richter and P S Kruger

Department of Industrial and Systems Engineering University of Pretoria South Africa

Abstract

Artificial intelligence techniques are rapidly emerging as important contributors to more effective management. One of the greatest growth areas probably lies in the use of Expert System methodology for supporting managerial decision processes.

Existing Decision Support Systems often attempt to apply analytical techniques in combination with traditional data access and retrieval functions. One of the problems usually encountered while developing such decision support systems is the need to transform an unstructured problem environment into a structured analytical model. Using an expert system approach to strategic decision making in such unstructured problem environments may provide significant advantages.

The financial Risk diagnostic EXpert System (REXS) concentrates on Financial Risk Analysis. Based on a Forecasting Model the system will, with the support of several expert system knowledge bases, attempt to evaluate the financial risk of a business and provide guidelines for improvement.

Opsomming

Tegnieke gebaseer op Kunsmatige Intelligensie toon tans die belofte om belangrike bydraes te maak tot meer effektiewe bestuur. Een van die toepassingsgebiede met waarskynlik die grootste potensiaal is die gebruik van Ekspertstelselmetodologie vir die ondersteuning van bestuursbesluitprosesse.

Bestaande Besluitsteunstelsels poog dikwels om analitiese tegnieke en tradisionele datatoegang- en onttrekkingsfunksies te kombineer. Een van die probleme wat gewoonlik ondervind word gedurende die ontwikkeling van 'n besluitsteunstelsel bestaan uit die behoefte om 'n ongestruktueerde probleemomgewing te transformeer na 'n gestruktueerde analitiese model. 'n Ekspertstelselbenadering tot strategiese besluitneming in 'n ongestruktureerde probleemomgewing mag betekenisvolle voordele inhou.

Die "financial Risk diagnostic EXpert System (REXS)" konsentreer op finansiële risiko-analise. Uitgaande vanaf 'n Vooruitskattingsmodel, en deur gebruik te maak van verskeie ekspertstelselkennisbasisse, poog die stelsel om die finansiële risiko van 'n onderneming te evalueer en riglyne vir moontlike verbetering voor te stel. -55-

1. INTRODUCTION

The financial failure of industrial businesses has become one of the most important aspects of any economy. A business is a legal failure if the assets of the business are not sufficient to meet the legally enforceable claims of creditors. It is a proven fact that the underlying cause of most failures can best be summarized by the term "management incompetence". The usual "causes" given for financial failure, e.g.,lack of capital, faulty accounting, poor planning, etc., are often not causes but rather rationalizations or excuses for poor management performance.

The two most important factors concerning financial failure are the economic and financial risk of the business. Economic risk is associated mainly with the industry to which the business belongs, and with the general conditions of the particular economy. Financial risk, on the other hand, is subject almost completely to the discretionary control of management.

To help management in detecting, or even forecasting possible financial failure, a research project, consisting of the development of a Forecasting Model, was carried out at the Bureau of Financial Analysis at the University of Pretoria [9]. The model measures the risk of financial failure by means of calculating a risk factor through the combination of ratios determined from items in financial statements. This risk factor is a reflection of the probability that a large business may fail financially. The lower the value of the calculated risk factor, the greater the risk that the business may fail financially.

A financial Risk diagnostic EXpert System (REXS), was developed to further improve the significance and usefulness of the forecasting model, by adding five diagnostic modules to this risk analyses module. The system will enable the user not only to analyse the business, but also to diagnose the problems indicated by the analysis, therefore providing a closed-loop integrated system.

The system consists of several components as follows :

- a)Data Management : All the data needed by the system is maintained in three different data resources.
 - Financial Statement Data Base : The information needed to calculate the risk factors, e.g., item values, ratio values, etc. are maintained in this data base.
 - Diagnostic Data Base : The information needed in the Diagnostic Analysis modules, e.g., user ratings, user priorities, industry ratio value, etc., is maintained in this data base.
 - User : The user is a very important data resource not always successfully used. The expert system environment makes user interfacing relatively easy.

b)Risk Value Analysis : The business being analysed is classified into a risk class according to a rating determined through time series analysis.

c)Ratio Value Analysis : The ratios that constitute the Financial Forecasting Model are analysed and priorities are allocated according to the importance for financial improvement. -56-

d)Diagnostic Simulation : Improvements on the risk factor and ratio values are proposed based on a comparison between the calculated values and corresponding values from the industry and the company goal set by management. A simulation, based on the improvements proposed by both the system and the user, is carried out.

e)Review of Diagnostic Simulation : All values are displayed on different graphs to indicate the results of the diagnostic simulation.

A conceptual view of the system is presented in Figure 1.




Figure 1. Conceptual view of the system.

2. DESIGN STRATEGIES AND OBJECTIVES

The system is based on the expert system development environment GURU [19,20], which supports a broad range of integrated knowledge processing capabilities.

The system consists of seven individual, yet integrated, components, each accessed from the main menu. The first component of the system is a data base to control, organize, store, retrieve and update all information needed by the system. The remaining six components of the system use expert system facilities to assist a financial analyst to diagnose the financial risk of a business. The logical procedure may be described as follows :

- a) Capturing data from financial statements,
- b) Classification of a business, using user experience,
- c) Allocating priorities,
- d) Comparing results with industry trends,
- e) Simulating improvements recommended by the user, and
- f) Reviewing the general financial implications.

As previously noted the diagnostic components of the system are based on an expert system environment. Conversely, the system itself consults various knowledge bases in the course of its execution and allows the user to directly interact with the system. When a user -57-

presents a particular problem, the system uses the available stored expertise to infer advice which is presented to assist the user when asked for further information.

The specific objectives of the system are as follows :

- a) Analysis and interpretation of Financial Statements,
- b) Leading the user through the decision making process,
- c) Setting certain directives based on user experience, and
- d) Providing a total review of the financial environment.

3. SYSTEM OVERVIEW

3.1 Financial statement data base

In the financial statement data base all the components, e.g., items, ratios, etc., needed to calculate the risk factor of the Forecasting Model are maintained and stored. The detail table chart of this data base is shown in Figure 2.




Figure 2. Detail table chart for the financial statement database.

3.2 Diagnostic data base

In the diagnostic data base information, e.g. user ratings, user priorities, industry ratio values, etc., used in the diagnostic modules of the system are maintained and stored. The detail table chart of this data base is shown in Figure 3.

USERNAME RADATE CLASSIA CLASSIB CLASSIC CLASSID CLASS2A OLASS2B CLASS2C CLASS2D CLASS3A CLASS3B CLASS3C CLASS3D U3CLASS USRATING USERNAME PRIDATE FIN PROBEF CURASS PROAFT CASHFL INVEN USERNAME DIADATE RFUSIM FIUSIM PROBUSIM CURUSIM PROAUSIM CASUSIM INVUSIM RFSIMUL INDATE FIN PROBEF CURASS PROAFT CASHFL INVEN RIVAL GOALDATE FIN PROBEF CURASS PROAFT CASHFL INVEN RIVAL				<u></u>		
CLASS2A CLASS2B CLASS2C CLASS2D CLASS3A CLASS3B CLASS3C CLASS3D USCLASS USRATING USERNAME PRIDATE FIN PROBEF CURASS PROAFT CASHFL INVEN CASHFL INVEN USERNAME DIADATE RFUSIN FIUSIN PROBUSIN CURUSIN INDATE FIN PROBEF CURASS PROAFT CASHFL INDATE FIN PROBEF CURASS PROAFT CASHFL GOALDATE FIN PROBEF CURASS PROAFT CASHFL						
CLASS2A CLASS2B CLASS2C CLASS2D CLASS3A CLASS3B CLASS3C CLASS3D USCLASS USRATING USERNAME PRIDATE FIN PROBEF CURASS PROAFT CASHFL INVEN CASHFL INVEN USERNAME DIADATE RFUSIN FIUSIN PROBUSIN CURUSIN PROAUSIN CASUSIN INVUSIN RFSINUL INDATE FIN PROBEF CURASS PROAFT CASHFL INDATE FIN PROBEF CURASS PROAFT CASHFL GOALDATE FIN PROBEF CURASS PROAFT CASHFL						
CLASS2A CLASS2B CLASS2C CLASS2D CLASS3A CLASS3B CLASS3C CLASS3D USCLASS USRATING USERNAME PRIDATE FIN PROBEF CURASS PROAFT CASHFL INVEN CASHFL INVEN USERNAME DIADATE RFUSIN FIUSIN PROBUSIN CURUSIN PROAUSIN CASUSIN INVUSIN RFSINUL INDATE FIN PROBEF CURASS PROAFT CASHFL INDATE FIN PROBEF CURASS PROAFT CASHFL GOALDATE FIN PROBEF CURASS PROAFT CASHFL						•
CLASS2A CLASS2B CLASS2C CLASS2D CLASS3A CLASS3B CLASS3C CLASS3D USCLASS USRATING USERNAME PRIDATE FIN PROBEF CURASS PROAFT CASHFL INVEN CASHFL INVEN USERNAME DIADATE RFUSIN FIUSIN PROBUSIN CURUSIN PROAUSIN CASUSIN INVUSIN RFSINUL INDATE FIN PROBEF CURASS PROAFT CASHFL INDATE FIN PROBEF CURASS PROAFT CASHFL GOALDATE FIN PROBEF CURASS PROAFT CASHFL						
CLASS2A CLASS2B CLASS2C CLASS2D CLASS3A CLASS3B CLASS3C CLASS3D USCLASS USRATING USERNAME PRIDATE FIN PROBEF CURASS PROAFT CASHFL INVEN CASHFL INVEN USERNAME DIADATE RFUSIN FIUSIN PROBUSIN CURUSIN PROAUSIN CASUSIN INVUSIN RFSINUL INDATE FIN PROBEF CURASS PROAFT CASHFL INDATE FIN PROBEF CURASS PROAFT CASHFL GOALDATE FIN PROBEF CURASS PROAFT CASHFL						
CLASS2A CLASS2B CLASS2C CLASS2D CLASS3A CLASS3B CLASS3C CLASS3D USCLASS USRATING USERNAME PRIDATE FIN PROBEF CURASS PROAFT CASHFL INVEN CASHFL INVEN USERNAME DIADATE RFUSIN FIUSIN PROBUSIN CURUSIN PROAUSIN CASUSIN INVUSIN RFSIMUL INDATE FIN PROBEF CURASS PROAFT CASHFL INDATE FIN PROBEF CURASS PROAFT CASHFL GOALDATE FIN PROBEF CURASS PROAFT CASHFL						
CLASS2A CLASS2B CLASS2C CLASS2D CLASS3A CLASS3B CLASS3C CLASS3D USCLASS USRATING USERNAME PRIDATE FIN PROBEF CURASS PROAFT CASHFL INVEN CASHFL INVEN USERNAME DIADATE RFUSIN FIUSIN PROBUSIN CURUSIN PROAUSIN CASUSIN INVUSIN RFSIMUL INDATE FIN PROBEF CURASS PROAFT CASHFL INDATE FIN PROBEF CURASS PROAFT CASHFL GOALDATE FIN PROBEF CURASS PROAFT CASHFL			1			-
CLASSSE CLASSSC CLASSSD USCLASS USRATING USERNAME PRIDATE FIN PROBEF CURASS PROAFT CASHFL INVEN USERNAME DIADATE RFUSIN FIUSIN PROBUSIN CURUSIM PROAUSIN CASUSIN INVUSIN RFSIMUL INDATE FIN PROBEF CURASS PROAFT CASHFL INVEN RIVAL GOALDATE FIN PROBEF CURASS PROAFT CASHFL	USERN	IANE RADATE	╺╬╌╴╴╴╴╴╴		<u> </u>	
USERNAME PRIDATE FIN PROBEF CURASS PROAFT CASHFL INVEN USERNAME DIADATE RFUSIN FIUSIN PROBUSIN CURUSIN PROAUSIN CASUSIN INVUSIN RFSIMUL INDATE FIN PROBEF CURASS PROAFT CASHFL INVEN RIVAL		CLASS2A	CLASS2B			
CASHFL INVEN USERNAME DIADATE RFUSIM FIUSIM PROBUSIM CURUSIM PROAUSIM CASUSIM INVUSIM RFSIMUL INDATE FIN PROBEF CURASS PROAFT CASHFL INVEN RIVAL GOALDATE FIN PROBEF CURASS PROAFT CASHFL		CLASSE	CLASSSC	CLASSID	USCLASS	USRATING
CASHFL INVEN USERNAME DIADATE RFUSIM FIUSIM PROBUSIM CURUSIM PROAUSIM CASUSIM INVUSIM RFSIMUL INDATE FIN PROBEF CURASS PROAFT CASHFL INVEN RIVAL GOALDATE FIN PROBEF CURASS PROAFT CASHFL						
CASHFL INVEN USERNAME DIADATE RFUSIM FIUSIM PROBUSIM CURUSIM PROAUSIM CASUSIM INVUSIM RFSIMUL INDATE FIN PROBEF CURASS PROAFT CASHFL INVEN RIVAL GOALDATE FIN PROBEF CURASS PROAFT CASHFL						
CASHFL INVEN USERNAME DIADATE RFUSIM FIUSIM PROBUSIM CURUSIM PROAUSIM CASUSIM INVUSIM RFSIMUL INDATE FIN PROBEF CURASS PROAFT CASHFL INVEN RIVAL GOALDATE FIN PROBEF CURASS PROAFT CASHFL			FIN	PROBEF	CURASS	PROAFT
USERNAME DIADATE REUSIN FIUSIN PROBUSIN CURUSIN PROAUSIN CASUSIN INVUSIN RESIMUL INDATE FIN PROBEE CURASS PROAFT CASHEL INVEN RIVAL GOALDATE FIN PROBEE CURASS PROAFT CASHEL			<u> </u>	<u> </u>	CASHEL	INVEN
PROAUSIN CASUSIN INVUSIN RFSIMUL INDATE FIN PROBEF CURASS PROAFT CASHFL INVEN RIVAL						
PROAUSIN CASUSIN INVUSIN RFBINUL INDATE FIN PROBEF CURASS PROAFT CASHFL INVEN RIVAL GOALDATE FIN PROBEF CURASS PROAFT CASHFL						
PROAUSIN CASUSIN INVUSIN RFBINUL INDATE FIN PROBEF CURASS PROAFT CASHFL INVEN RIVAL GOALDATE FIN PROBEF CURASS PROAFT CASHFL						
PROAUSIN CASUSIN INVUSIN RFBINUL INDATE FIN PROBEF CURASS PROAFT CASHFL INVEN RIYAL		DIADATE	DEURTH	ETHOTH	PROPURTH	CHORETH
INDATE FIN PROBEF CURASS PROAFT CASHFL INVEN RIVAL GOALDATE FIN PROBEF CURASS PROAFT CASHFL		ARC DIADATE	<u></u>	1	haa	<u></u>
GOALDATE FIN PROBEF CURASS PROAFT CASHFL			PROAUSIN	CASUSIN	INVUSIM	RFSIMUL
GOALDATE FIN PROBEF CURASS PROAFT CASHFL						
GOALDATE FIN PROBEF CURASS PROAFT CASHFL						
GOALDATE FIN PROBEF CURASS PROAFT CASHFL					· · · · · · · · · · · · · · · · · · ·	
GOALDATE FIN PROBEF CURASS PROAFT CASHFL	INDA	TE FIN	PROBEF	CURASS	PROAFT	CASHFL
					INVEN	RIVAL
					·····	·
	COND	ATE FIN	PRORFE	CURASS	PROAFT	CASHEL
			1			
					THAFIT	DA TAL

Figure 3. Detail table chart for the diagnostic data base.

3.3 Diagnostic analysis

The diagnostic analysis involves several expert knowledge bases. An expert system is a computer based consultant that has access to stored expertise about some problem domain. When a user presents a particular problem to the expert system, it uses the available expertise to infer

some advice which is presented to the user. An expert system has three major parts :

a)Stored expertise : Expertise about a problem domain may be represented as a rule set, which is a collection of rules. Each rule has a premise and a conclusion. Whenever the inference engine can establish that a premise is true, then the conclusion of the rule is also valid.

b)Inference engine : An expert system's inference engine is the software that carries out the reasoning needed to solve a problem. This software draws upon the stored expertise in order to reach its conclusions.

c)User interface : When consulting an expert system, the user states a problem or goal and interacts with the system.

One may think of an expert system as containing knowledge about how to obtain information, rather than as a procedure which processes some information algorithmically.

3.3.1 KNOWLEDGE REPRESENTATION

Domain knowledge is stored in the form of rule sets. The system contains 26 different rule sets, which may be divided into four groups :

- a) Classification rule sets,
- b) Rating allocation rule sets,
- c) Priority allocation rule sets and
- d) Improvement rule sets

The ratio value improvement rule sets are used for demonstration purposes. This rule set determines the possible improvement needed on a specific ratio value after comparing the ratio value of the three years analysed, with the ratio values of the industry and the company goal. Figure 4 describes the components of these rule set.

GOAL IMUSVL - Improvement proposed by user.
INITIALIZATION Data obtained from tables :
Ratio value of first year.
Ratio value of second year,
Ratio value of third year.
Ratio value of third year, Ratio value of industry,
Ratio value of company goal.
CONSULTATION
Uses comparative values from the industry and the company
goal to compare calculated ratio values, and to propose improvements according to information in the system, and
improvements according to information in the system, and
user expertise. COMPLETION
Results of consultation :
Improvements proposed by the system, and the user are displayed on the screen or printed.
- spidyed on the excent of printed.

Figure 4. Representation of ratio value improvement rule sets.

3.3.2 USER INTERFACE

The information needed by the different rule sets, are obtained from the three data resources. The inference engine will first use the information stored in the two data bases to reach a conclusion, and then use this advice to lead the user through a series of procedures.

4. PERFORMANCE OF THE SYSTEM

The performance of the system is demonstrated by means of a practical example.

4.1 Financial statement data management

Information in the financial statement data base should be valid and up to date before attempting to execute any of the other functions provided in the system.

A report listing all the item values may be generated. A sample item value is shown in Figure 5.




Figure 5. Sample item value report.

4.2 Classification according to risk factor

First the Risk Factor for every year is calculated and reported. Secondly the classification analysis according to these values as well as ratings supplied by the user is performed as follows :

4.2.1 CALCULATION OF RISK FACTOR VALUES

This option will calculate the risk factor values for a three year period. A report will list all the risk factor values over the period analysed. A sample output of this report is shown in Figure 6.




Figure 6. Sample report of risk factor values.

4.2.2 CLASSIFICATION ANALYSIS

An expert system rule set containing certain classification knowledge will classify the business being analysed into one of three classes, i.e.:

a financially SOUND, a financially BORDER CASE, or a financially FAILING business. A sample screen is shown in Figure 7.




Figure 7. Sample business classification screen.

4.2.3 USER CLASSIFICATION RATING

The risk factors are further analysed over time by setting ratings for 12 different classes. Ratings are allocated to 12 different classes by an expert system rule set containing classification criteria, and also by the user. These ratings are set beforehand as a standard to measure the performance of the business over the time period.

This rating is a percentage value. The higher the rating the better the financial growth of the business over the time period analysed.

4.2.4 CLASSIFICATION BASED ON RATING

This option will again classify the business, this time using all the information obtained from the previous operation. An expert system is consulted, and a classification report generated, summarizing all the classification information pertaining to the business.

4.3 Allocating procedure

The system will consult the corresponding priority allocation knowledge base for each ratio, determining a priority according to the stored information in the rule set. This priority will be shown to the user to assist the user in the decision making process of allocating a priority according to his own judgement.

This decision making process is well structured by using priorities to determine the degree of importance of every ratio. The greater the importance of a ratio for improvement the higher should be the priority allocated to this specific ratio.

4.4 Revision

This option is used to revise all the priorities allocated to the different ratios. Two graphs are used to display firstly, the ratio values and secondly the allocated priorities.

4.5 Comparitive industry and company goal values

Comparative ratio values must be set as evaluation criteria, before any further evaluation may be performed. The following three different evaluation criteria are used in this system :

HISTORICAL DATA FROM WITHIN THE BUSINESS : The ratio values of the last three years are calculated. These criteria are used throughout the system.

DATA'FROM OUTSIDE THE BUSINESS : Corresponding data from the industry, in which the business being analysed is operating, is used for calculation purposes. The weighted average of the different ratio values serve as an excellent normative guideline for the ratio values of the business. http://sajie.journals.ac.za

-63-

A sample output report is shown in Figure 8.

CIPS	DATE : 26/12/198
	INDUSTRY RATIO VALUE ON : 31/11/1988
	PROFIT BEFORE INTEREST & TAX : 20.60 CURRENT ASSETS & LIABILITIES : 175.80 CASH FLOW PROFIT AFTER TAX : 17.24 PROFIT AFTER TAX : 13.10 INVENTORIES : 12.02 FINANCING : 42.00

Figure 8. Sample industry ratio value report.

COMPANY GOALS : By its very nature financial decision making involves purposeful behaviour, which implies the existence of a company goal, or what is much more likely, some combination of goals. Corresponding company goal values for the different ratios, are set by the management of the company. The output report for these values is similar to the report for the industry values.

4.6 Diagnostic simulation

In the preceding modules different classification schemes were used to classify the different financial criteria, in order to prepare the groundwork for improvement application. If this analysis of risk and classification schemes is to be meaningful for the business, a method must be found to translate this analysis and classification schemes into operational decision rules for improvement of the financial risk.

4.6.1 IMPROVEMENT RECOMMENDATIONS

The risk analysis and various classification schemes mentioned, are all mutually inclusive and are all used in the diagnostic simulation to recommend improvements and simulate a new financial environment.

A knowledge base containing certain decision criteria based on the risk factor analysis and classification schemes from the preceding modules will determine an improvement value. This improvement value is a value proposed by the system, to be added to the present risk factor value in order to find a better financial risk value.

This consultation will be followed by a graphical presentation of the different risk values. This graphical presentation will give the user an idea of the improvement needed by comparing the industry and company goal values with the present risk factor value. The user will be asked to propose an improvement value, using the improvement recommended by the system as a measure.

-64-

After entering an improvement value a summary of the implication of these improvements proposed by the system and the user will be displayed on the screen. A sample of this screen is shown in Figure 9.

PROPOSED IMPROVEMENT ON RISK FACTOR Company: FARMCHEM LIMITED Date: 26/12/1988
RISK FACTOR
According to the Diagnostic Expert System : 1) The improvement proposed by system : 1.4532 2) The improvement proposed by the user: 2.7500
IMPROVED RISK FACTOR Improved Risk Factor according to user : 17.54190 Improved Risk Factor according to system: 15.89190 General warning : SERIOUS DECREASING GROWTH
Centre for Computer Integrated Production Systems

Figure 9. Sample risk factor improvement screen.

Each ratio value will be handled individually. The procedure for the ratio values is precisely the same as for the risk factor.

4.6.2 SIMULATION OF A NEW FINANCIAL ENVIRONMENT

A new financial environment is simulated. This includes the calculation of the improved ratio values, and the calculation of the new improved risk factor value. A sample form of the improved values is shown in Figure 10.




Figure 10. Sample simulated value form

The user may compare the new simulated risk factor value, determined from the improved ratio values, with the improved risk factor and the present business risk factor value. If the user is not satisfied with the improvement in the risk factor value he can revise the proposed improvements on the different ratio values.

This sensitivity analysis may be repeated until the simulated value compares favourably with the improved risk factor value proposed by the user.

4.7 Review diagnostic analysis

This module is used to review the results emanating from the REXS system. A review of all the improved values determined by the system, and improvements proposed by the user are presented in the form of graphs.

The different graphs are used to display the results obtained from the diagnostic analysis and to compare the improved values with the present values. A sample review graph is shown in Figure 11.




Figure 11. Sample reviewing graph.

A summary screen form containing the different values i.e., values of the last three years, comparative industry and company goal values and improved values emanating from the system, will be displayed on the screen. A sample of this screen form is shown in Figure 12.

REVIEW FINANCIAL ANALYSES Company: FARMCHEM LIMITED
Date: 26/12/1988
FINANCIAL RISK FACTOR According to the Financial Data Base : 1) Value in 1986 : 10.3604 2) Value in 1987 : 18.9362 3) Value in 1988 : 14.8919 According to the Diagnostic Expert System : 1) Industry Value : 11.1520 2) Company Goal value : 10.1273 3) Expert System Value : 14.8919 4) User Assigned Value : 18.8919 5) Diagnostic Simulated: 14.9004 EXPERT RATING : 100 USER RATING : 65
Centre for Computer Integrated Production Systems

Figure 12. Sample summary screen form.

-66-

CONCLUSIONS AND POSSIBLE APPLICATIONS 5.

5.1 Conclusions

Planning is the key to the financial manager's success. Financial plans may take many forms, but any good plan must be related to the firm's existing strengths and weaknesses. This indicates that all financial plans must begin with the type of financial analysis presented in the REXS system. If this analysis is to be meaningful for a business, a method must be found to translate this analysis into operational decisions. A diagnostic environment has been developed that allows the user to recommend certain improvements according to personal judgement, and simulate a financial environment based on these improvements. These improvements may be revised for an unlimited number of times, in order to try and find the best alternative as a basis for future financial planning.

5.2 Training

The system has the potential of becoming an excellent training tool for business school students and managers. The objectives of such a training program will generally include :

- a) Better understanding of Financial Risk,b) Better insight into Ratio Analyses,
- c) Better insight into Comparative Analyses,
- d) Better insight into managing by objectives,
- e) Testing of personal judgement, and
- f) Development of diagnostic skills.

The system contains a diagnostic simulation module, providing the facility to run different sensitivity analyses, testing the trainee's skills in financial risk diagnostics and improvement.

5.3 General

The REXS system concentrates on Financial Risk Analysis. Based on a Forecasting Model the system will calculate a financial risk factor reflecting the probability that a business will fail financially. By breaking the risk factor down into the components constituting the risk factor, causes for financial failure are determined through classification, comparison and evaluation. These mutually inclusive analyses are focussed on the improvement of the financial risk factor. A diagnostic simulator is used to environment, setting guidelines for simulate a new financial management to improve the financial risk of the business.

The application possibilities of the system are :

- a)
- Ratio analysis over time, Classification of businesses into risk classes, **b**)
- Specific problem identification, c)
- Comparison of business growth with industry trends, and d)
- Setting guidelines for future financial improvement. e)

The system in general provides the facilities to do a number of sensitivity analyses, to improve the financial risk of the business being analysed.

00000

SELECTED REFERENCES

TEXTBOOKS

- 1. HOLSAPPLE C W and WHINSTONE A B, "Business Expert Systems", Richard D Irwin Inc.
- 2. LEVY, SARNAT, "Capital Investment and Financial Decisions", Third Edition; Prentice/Hall.
- 3. HAYES-ROTH, WATERMAN, and DOUGLAS, "Building Expert Systems", Addison-Wesley Publishing Company Inc.
- 4. WATERMAN D A, "A Guide to Expert Systems", Addison-Wesley Publishing Company Inc.
- 5. JENSEN and TONIES, "Software Engineering", Prentice/Hall.
- 6. HORNGREN, "Introduction to Management Accounting", Sixth Edition ; Prentice/Hall.
- 7. DATE C J, "An Introduction to Database Systems", Second Edition, Systems Modeling Corporation.

REPORTS

- 8 "The use of ratios in analysing the published annual financial statements of companies in the Republic of South Africa", Report A. 5e (R), Bureau of Financial Analysis, University of Pretoria.
- 9 "Finansiële Verhoudingsgetalle en die voorspelling van Finansiële Mislukking by Nywerheidsondernemings in die Republiek van Suid-Afrika", Verslag El, Bureau of Financial Analysis, University of Pretoria.
- 10 ***Analysis of Quoted Companies : J S E Industrial Section Averages***, Report C89, Bureau of Financial Analysis, University of Pretoria.

OTHER

- 11 ALTMAN I E, "Financial Ratios, Discriminant Analysis, and the Prediction Of Corporate Bankruptcy", Journal of Finance, 23 September 1968,
- 12 KRUGER P S, DU TOIT R J and RICHTER W, "Expert Systems : An Industrial Engineering Perspective", Centre for Computer Integrated Production Systems, Department of Industrial and Systems Engineering, University of Pretoria.
- 13 KRUGER P S, "Software tools for the Development of Expert Systems", Centre for Computer Integrated Production Systems, Department of Industrial and Systems Engineering, University of Pretoria.
- 14 KRUGER P S, RICHTER W and DU TOIT R J, "Illustrative Applications of Expert Systems", Centre for Computer Integrated Production Systems, Department of Industrial and Systems Engineering, University of Pretoria.
- 15 BRUCE D'AMBROSIO, "Expert Systems- Myth or Reality ?", Byte, January 1985.
- 16 DR.ROBERT T. KEIN and SHEILA JACOBS, "Expert Systèms : The DSS of the Future ?", Journal of Systems Management, December 1986.
- 17 OXMAN S W, "Expert Systems represent ultimate goal of strategic decision making", Data Management, April 1985.
- 18 "Rekenaars : Kunsmatige Intelligensie, Besluitneming en Deskundige Stelsels", Appendix to "Finansies en Tegniek", August 1987.

SOFTWARE MANUALS

- 19 *GURU: Reference manual, Volume 1, Version 1.1*, Micro Data Base Systems Inc.
- 20 "GURU Reference manual, Volume 2, Version 1.1", Micro Data Base Systems Inc.